ELSEVIER

Volume 198, Issues 1–3, 3 March 2008

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

A review of planar biaxial tensile test systems for sheet metal 1
A. Hannon, P. Tiernan

Tube hydroforming of aluminium extrusions using a conical die and extensive feeding 14
M. Jansson, L. Nilsson, K. Simonsson

Laser ablation using a long-pulsed, high-fluence, CW single-mode fiber laser 22
W.R. Harp, J.R. Dilwith, J.F. Tu

Development of Al–Ni–Mg–(Cu) aluminum P/M alloys 31
K.S. Dunnett, R.M. Mueller, D.P. Bishop

Characterisation of different lubricants concerning the friction coefficient in forging of AA2618 41
B. Buchner, G. Maderthoner, B. Buchmayr

An upper-bound approach for equal channel angular extrusion with circular cross-section 48
M.H. Paydar, M. Reihanian, R. Ebrahimi, T.A. Dean, M.M. Moshksar

Relationship between (00.2) and (20.1) texture components and corrosion resistance of hot-dip galvanized zinc coatings 54
H. Asgari, M.R. Toroghinejad, M.A. Golozar

The effect of commercial polyacrylonitrile fibers characterizations on the produced carbon fibers properties 60
A. Sedghi, R.E. Farsani, A. Shokuhfar

Production of cordierite ceramic by aqueous tape casting process 68
E. Ozel, S. Kurama

Vacuum brazing of Inconel 600 sleeve to 316L stainless steel sheath of mineral insulated cable 73
G. Srinivasan, A.K. Bhaduri, S.K. Ray, V. Shankar

Investigation of cylindrical wire electrical discharge turning (CWEDT) of AISI D3 tool steel based on statistical analysis 77
M.J. Haddad, A.F. Tehrani

Anisotropic behavior of a Ti–6Al–4V sheet during cold rolling: Evidence of macroscopic shearing 86
H. Francillette, M. Benmaouche, N. Gauquelin

A new analytical solution for prediction of forward tension in the drawing process 93
H.A. González Rojas, J.V. Calvet, V.I. Bubnovich

Some experimental studies on CO_2 laser cutting quality of polymeric materials 99
J.P. Davim, N. Barricas, M. Conceição, C. Oliveira

Dicing of gallium–arsenide high performance laser diodes for industrial applications. Part II. Cleavage operation 105
K. Wasmer, C. Ballif, C. Pouvreau, D. Schulz, J. Michler

Dicing of gallium–arsenide high performance laser diodes for industrial applications. Part I. Scratching operation 114
K. Wasmer, C. Ballif, C. Pouvreau, D. Schulz, J. Michler

Investigation on glass/epoxy composite surfaces machined by abrasive water jet machining 122
M.A. Azmir, A.K. Ahsan

Synthesis and luminescence properties of $YVO_4:Dy^{3+}$ nanorods 129
L. Chen, G. Liu, Y. Liu, K. Huang

Preparation of polycrystalline cBN containing nanodiamond 134
Y. Zhao, M. Wang

(Contents continued on page I)

0924-0136(20080303)198:1/3;1-Q

ELSEVIER

Volume 198, Issues 1–3, 3 March 2008

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

A review of planar biaxial tensile test systems for sheet metal 1
A. Hannon, P. Tiernan

Tube hydroforming of aluminium extrusions using a conical die and extensive feeding 14
M. Jansson, L. Nilsson, K. Simonsson

Laser ablation using a long-pulsed, high-fluence, CW single-mode fiber laser 22
W.R. Harp, J.R. Dilwith, J.F. Tu

Development of Al–Ni–Mg–(Cu) aluminum P/M alloys 31
K.S. Dunnett, R.M. Mueller, D.P. Bishop

Characterisation of different lubricants concerning the friction coefficient in forging of AA2618 41
B. Buchner, G. Maderthoner, B. Buchmayr

An upper-bound approach for equal channel angular extrusion with circular cross-section 48
M.H. Paydar, M. Reihanian, R. Ebrahimi, T.A. Dean, M.M. Moshksar

Relationship between (00.2) and (20.1) texture components and corrosion resistance of hot-dip galvanized zinc coatings 54
H. Asgari, M.R. Toroghinejad, M.A. Golozar

The effect of commercial polyacrylonitrile fibers characterizations on the produced carbon fibers properties 60
A. Sedghi, R.E. Farsani, A. Shokuhfar

Production of cordierite ceramic by aqueous tape casting process 68
E. Ozel, S. Kurama

Vacuum brazing of Inconel 600 sleeve to 316L stainless steel sheath of mineral insulated cable 73
G. Srinivasan, A.K. Bhaduri, S.K. Ray, V. Shankar

Investigation of cylindrical wire electrical discharge turning (CWEDT) of AISI D3 tool steel based on statistical analysis 77
M.J. Haddad, A.F. Tehrani

Anisotropic behavior of a Ti–6Al–4V sheet during cold rolling: Evidence of macroscopic shearing 86
H. Francillette, M. Benmaouche, N. Gauquelin

A new analytical solution for prediction of forward tension in the drawing process 93
H.A. González Rojas, J.V. Calvet, V.I. Bubnovich

Some experimental studies on CO_2 laser cutting quality of polymeric materials 99
J.P. Davim, N. Barricas, M. Conceição, C. Oliveira

Dicing of gallium–arsenide high performance laser diodes for industrial applications. Part II. Cleavage operation 105
K. Wasmer, C. Ballif, C. Pouvreau, D. Schulz, J. Michler

Dicing of gallium–arsenide high performance laser diodes for industrial applications. Part I. Scratching operation 114
K. Wasmer, C. Ballif, C. Pouvreau, D. Schulz, J. Michler

Investigation on glass/epoxy composite surfaces machined by abrasive water jet machining 122
M.A. Azmir, A.K. Ahsan

Synthesis and luminescence properties of $YVO_4:Dy^{3+}$ nanorods 129
L. Chen, G. Liu, Y. Liu, K. Huang

Preparation of polycrystalline cBN containing nanodiamond 134
Y. Zhao, M. Wang

(Contents continued on page I)

0924-0136(20080303)198:1/3;1-Q

(Contents continued from OBC)

Magnetic properties of nanocrystalline Sm-substituted $CoFe_2O_4$ synthesized by citrate precursor method ... 139
M.M. Rashad, R.M. Mohamed, H. El-Shall

Analysis of thermal fields in orthogonal machining with infrared imaging ... 147
C. Dinc, I. Lazoglu, A. Serpenguzel

Thixo-formability of the AA6063 alloy: Conventional production processes versus electromagnetic stirring ... 155
E.J. Zoqui, J.I. Gracciolli, L.A. Lourençato

Crystalline phases and granular structure of TIG-welded Zn–22Al–2Cu alloy plates ... 162
J. Hinojosa-Torres, S.M. Durán-Guerrero, J.M. Aceves-Hernández, V.M. Castaño-Meneses

Life cycle assessment of wood-fibre-reinforced polypropylene composites ... 168
X. Xu, K. Jayaraman, C. Morin, N. Pecqueux

Processing and compressive properties of aerogel/epoxy composites ... 178
N. Gupta, W. Ricci

The effect of undermatching on crack tip constraint in a welded structure of nodular irons ... 183
H. Cetinel, T. Aksoy

Microstructural characterization and crystallization of ZrO_2–Y_2O_3–CuO solid solution powders ... 191
Y.S. Zhang, L.T. Hu, H. Zhang, J.M. Chen, W.M. Liu

Effect of wt% reinforcement on microstructure and mechanical properties of Al–2Mg base short steel fiber composites ... 195
D. Mandal, B.K. Dutta, S.C. Panigrahi

Structure and nanomechanical properties of CdTe thin films ... 202
G. Pürçek, E. Bacaksız, İ. Miskioğlu

Modeling influence of basic operation parameters on plasma jet ... 207
F. Qunbo, W. Lu, W. Fuchi

Experimental and numerical study of water jet spot welding ... 213
M. Chizari, S.T.S. Al-Hassani, L.M. Barrett

Investigation of mechanical and machinability properties of SiC particle reinforced Al-MMC ... 220
T. Ozben, E. Kilickap, O. Çakır

Numerical simulation of the roll hemming process ... 226
S. Thuillier, N. Le Maoût, P.Y. Manach, D. Debois

Combined effect of boron compounds and heat treatments on wood properties: Chemical and strength properties of wood ... 234
S.N. Kartal, W.-J. Hwang, Y. Imamura

Influence of precipitation hardening parameters on the fatigue strength of AA 6061-SiC_p composite ... 241
K. Mahadevan, K. Raghukandan, B.C. Pai, U.T.S. Pillai

Laser micromachining of the materials using in microfluidics by high precision pulsed near and mid-ultraviolet Nd:YAG lasers ... 248
T.-C. Chen, R.B. Darling

Metallurgical analysis on a bending failed pump-shaft made of 17-7PH precipitation-hardening stainless steel ... 254
X.L. Xu, Z.W. Yu

Residual stress and distortion calculation of laser beam welding for aluminum lap joints ... 260
G.A. Moraitis, G.N. Labeas

Preparation and electrode behavior of $NdMgNi_{3.6}Co_{0.4}$ hydrogen storage alloy ... 270
S.-l. Zhang, Y.-t. Zhao, G. Chen, X.-n. Cheng, H.-q. Sun

Mass transfer trends and the formation of a single deposition spot during high-energy micro-arc alloying of AZ31 Mg alloy ... 275
C. Changjun, W. Maocai, L. Yiming, W. Dongsheng, J. Ren

Characterization of ELID grinding process for machining silicon wafers ... 281
M.M. Islam, A.S. Kumar, S. Balakumar, H.S. Lim, M. Rahman

Semi-solid rolling process of steel strips ... 291
R. Song, Y. Kang, A. Zhao

Selection of the spraying technologies for over-coating of metal-stampings with thermo-plastics for use in direct-adhesion polymer metal hybrid load-bearing components 300
M. Grujicic, V. Sellappan, L. Mears, X. Xuan, N. Seyr, M. Erdmann, J. Holzleitner

Modeling of residual stress distribution in D2 steel via grinding dynamics using a second-order damping system 313
O. Karabelchtchikova, I.V. Rivero, S.M. Hsiang

Weldability of iron-based powder metal materials using pulsed plasma arc welding process..... 323
E.O. Correa, S.C. Costa, J.N. Santos

FEM dynamic simulation and analysis of the roll-bending process for forming a conical tube..... 330
J. Zeng, Z. Liu, H. Champliaud

An experimental investigation of hot-machining to predict tool life 344
K.P. Maity, P.K. Swain

Diamond scribing and laser breaking for LCD glass substrates 350
C.-H. Tsai, B.-W. Huang

Machining characteristics of Inconel 718 using ultrasonic and high temperature-aided cutting..... 359
C.Y. Hsu, Y.Y. Lin, W.S. Lee, S.P. Lo

Textures and mechanical properties of extruded Al–Cu alloys in the semisolid state..... 366
B.S. Lee, D.H. Joo, M.H. Kim

Numerical simulation of the lubricant performance in tube hydroforming 372
M. Luege, B.M. Luccioni

Experimental and numerical analyses of sheet hydroforming process for production of an automobile body part..... 381
M.H. Parsa, P. Darbandi

Prediction of Fineblanked surface characteristics using the finite element method (FEM)..... 391
S. Thipprakmas, M. Jin, K. Tomokazu, Y. Katsuhiro, M. Murakawa

Tribological aspects of machining aluminium metal matrix composites..... 399
S. Kannan, H.A. Kishawy

Evaluation of the profile of the taper ball-end milling cutter with a cylindrical shank..... 407
P.-C. Chang, S.-W. Lin

Fabrication characteristics of an anode-supported thin-film electrolyte fabricated by the tape casting method for IT-SOFC..... 414
J.-H. Song, S.-I. Park, J.-H. Lee, H.-S. Kim

Effects of feed speed ratio and laser power on engraved depth and color difference of Moso bamboo lamina... 419
C.-J. Lin, Y.-C. Wang, L.-D. Lin, C.-R. Chiou, Y.-N. Wang, M.-J. Tsai

Influence of particle temperature and velocity on the microstructure and mechanical behaviour of high velocity oxy-fuel (HVOF)-sprayed nanostructured titania coatings..... 426
M. Gaona, R.S. Lima, B.R. Marple

An innovative regression model-based searching method for setting the robust injection molding parameters 436
M.-S. Huang, T.-Y. Lin

Improvement in mechanical properties of carbon fabric–epoxy composite using carbon nanofibers 445
Y. Zhou, F. Pervin, S. Jeelani, P.K. Mallick

Research on molten pool temperature in the process of laser rapid forming..... 454
T. Hua, C. Jing, L. Xin, Z. Fengying, H. Weidong

3D FEM simulation of the multi-stage forging process of a gas turbine compressor blade..... 463
C. Lv, L. Zhang, Z. Mu, Q. Tai, Q. Zheng

Application of FE analysis for optimal design of caulking process 471
J. Park, J. Park, S. Choi, K. Na, Y. Kim

Fabrication and investigation of PDMS micro-diffuser/nozzle..... 478
Y.-T. Chen, S.-W. Kang, L.-C. Wu, S.-H. Lee

Author index..... 485

Subject index 487